



# Prekročenie limitov ukazovateľov kvality podzemných vôd - PO

Hodnotené obdobie: 01.11.2004 - 31.12.2011

Norma: DOH 95 (GW)

Databáza údajov: F:\DATA\ZO\KVALITA\CHEM-GW\_ZO.mdb

Konzultačná skupina PODZEMNÁ VODA ©2012

Ukazovateľ	norma	objekt	dátum	hodnota	násobok	poč.prekroč./analyz.
Amónne ióny [mg/l]	0.5	899/1	15.11.2004	0.7	1.40	23 / 23
			30.3.2005	0.64	1.28	23 / 23
			16.5.2005	0.65	1.30	23 / 23
			5.9.2005	0.64	1.28	23 / 23
			14.11.2005	0.71	1.42	23 / 23
			30.3.2006	0.65	1.30	23 / 23
			22.5.2006	0.68	1.36	23 / 23
			12.9.2006	0.63	1.26	23 / 23
			27.11.2006	0.71	1.42	23 / 23
			22.3.2007	0.72	1.44	23 / 23
			22.5.2007	0.72	1.44	23 / 23
			4.9.2007	0.74	1.48	23 / 23
			11.6.2008	0.77	1.54	23 / 23
			15.7.2008	0.74	1.48	23 / 23
			22.9.2008	0.8	1.60	23 / 23
			20.11.2008	0.8	1.60	23 / 23
			20.4.2009	0.7	1.40	23 / 23
			20.5.2009	0.69	1.38	23 / 23
			21.9.2009	0.71	1.42	23 / 23
			10.11.2009	0.78	1.56	23 / 23
9.8.2010	0.78	1.56	23 / 23			
30.9.2010	0.7	1.40	23 / 23			
8.11.2010	0.74	1.48	23 / 23			
Mangán [mg/l]	0.05	87/7	28.10.2008	0.639	12.78	1 / 30
		262/1	29.11.2004	0.11	2.20	26 / 26
			14.2.2005	0.125	2.50	26 / 26
			17.5.2005	0.114	2.28	26 / 26
			20.9.2005	0.113	2.26	26 / 26
			23.11.2005	0.11	2.20	26 / 26
			16.2.2006	0.0875	1.75	26 / 26
			22.5.2006	0.112	2.24	26 / 26
			20.9.2006	0.119	2.38	26 / 26
			27.11.2006	0.11	2.20	26 / 26
			20.2.2007	0.11	2.20	26 / 26
			17.5.2007	0.124	2.48	26 / 26
			17.9.2007	0.117	2.34	26 / 26
			29.11.2007	0.09	1.80	26 / 26
			21.2.2008	0.1	2.00	26 / 26
			17.6.2008	0.122	2.44	26 / 26
			23.9.2008	0.112	2.24	26 / 26
			26.11.2008	0.11	2.20	26 / 26
			27.5.2009	0.132	2.64	26 / 26
			22.9.2009	0.122	2.44	26 / 26
	23.11.2009	0.1	2.00	26 / 26		
	22.2.2010	0.1	2.00	26 / 26		
	19.7.2010	0.131	2.62	26 / 26		
	13.9.2010	0.163	3.26	26 / 26		
	30.11.2010	0.1	2.00	26 / 26		
	7.3.2011	0.11	2.20	26 / 26		
	8.11.2011	0.109	2.18	26 / 26		
	265/1	29.11.2004	0.07	1.40	26 / 26	
		14.2.2005	0.08	1.60	26 / 26	
		17.5.2005	0.078	1.56	26 / 26	
		20.9.2005	0.074	1.48	26 / 26	

Ukazovateľ	norma	objekt	dátum	hodnota	násobok	poč.prekroč./analyz.	
<b>Mangán [mg/l]</b>	<b>0.05</b>	265/1	23.11.2005	<b>0.08</b>	1.60	26 / 26	
			16.2.2006	<b>0.132</b>	2.64	26 / 26	
			22.5.2006	<b>0.076</b>	1.52	26 / 26	
			20.9.2006	<b>0.069</b>	1.38	26 / 26	
			27.11.2006	<b>0.08</b>	1.60	26 / 26	
			20.2.2007	<b>0.08</b>	1.60	26 / 26	
			17.5.2007	<b>0.083</b>	1.66	26 / 26	
			17.9.2007	<b>0.076</b>	1.52	26 / 26	
			29.11.2007	<b>0.09</b>	1.80	26 / 26	
			21.2.2008	<b>0.09</b>	1.80	26 / 26	
			23.6.2008	<b>0.077</b>	1.54	26 / 26	
			22.9.2008	<b>0.072</b>	1.44	26 / 26	
			26.11.2008	<b>0.07</b>	1.40	26 / 26	
			26.5.2009	<b>0.084</b>	1.68	26 / 26	
			22.9.2009	<b>0.066</b>	1.32	26 / 26	
			23.11.2009	<b>0.07</b>	1.40	26 / 26	
			22.2.2010	<b>0.07</b>	1.40	26 / 26	
			19.7.2010	<b>0.081</b>	1.62	26 / 26	
			13.9.2010	<b>0.104</b>	2.08	26 / 26	
			30.11.2010	<b>0.07</b>	1.40	26 / 26	
			7.3.2011	<b>0.07</b>	1.40	26 / 26	
			8.11.2011	<b>0.067</b>	1.34	26 / 26	
			15.11.2004	899/1	<b>1.49</b>	29.80	23 / 23
			30.3.2005		<b>1.34</b>	26.80	23 / 23
			16.5.2005		<b>1.36</b>	27.20	23 / 23
			5.9.2005		<b>1.45</b>	29.00	23 / 23
			14.11.2005		<b>1.5</b>	30.00	23 / 23
			30.3.2006		<b>1.41</b>	28.20	23 / 23
			22.5.2006		<b>1.46</b>	29.20	23 / 23
			12.9.2006		<b>1.44</b>	28.80	23 / 23
			27.11.2006		<b>1.73</b>	34.60	23 / 23
			22.3.2007		<b>1.69</b>	33.80	23 / 23
			22.5.2007		<b>1.71</b>	34.20	23 / 23
			4.9.2007		<b>1.68</b>	33.60	23 / 23
			11.6.2008		<b>1.77</b>	35.40	23 / 23
			15.7.2008		<b>1.83</b>	36.60	23 / 23
22.9.2008	<b>1.91</b>	38.20	23 / 23				
20.11.2008	<b>1.78</b>	35.60	23 / 23				
20.4.2009	<b>1.65</b>	33.00	23 / 23				
20.5.2009	<b>1.923</b>	38.46	23 / 23				
21.9.2009	<b>1.83</b>	36.60	23 / 23				
10.11.2009	<b>1.84</b>	36.80	23 / 23				
9.8.2010	<b>2.11</b>	42.20	23 / 23				
30.9.2010	<b>2.56</b>	51.20	23 / 23				
8.11.2010	<b>2.2</b>	44.00	23 / 23				
13.9.2010	<b>0.01</b>	265/1	<b>0.016</b>		1.60	1 / 13	
13.9.2010			<b>0.016</b>		1.60	1 / 13	
<b>Železo [mg/l]</b>	<b>0.2</b>	170/2	4.11.2004		<b>1.05</b>	5.25	26 / 26
			23.3.2005		<b>1.25</b>	6.25	26 / 26
			11.5.2005		<b>0.93</b>	4.65	26 / 26
			19.9.2005		<b>1.4</b>	7.00	26 / 26
			29.11.2005		<b>0.93</b>	4.65	26 / 26
			21.3.2006		<b>1.08</b>	5.40	26 / 26
			4.5.2006		<b>1.05</b>	5.25	26 / 26
			25.9.2006		<b>1</b>	5.00	26 / 26
			15.11.2006		<b>0.98</b>	4.90	26 / 26
			22.3.2007		<b>1.35</b>	6.75	26 / 26
			15.5.2007		<b>0.93</b>	4.65	26 / 26
			12.9.2007	<b>1.05</b>	5.25	26 / 26	
			14.11.2007	<b>1.13</b>	5.65	26 / 26	
			16.6.2008	<b>1.02</b>	5.10	26 / 26	

Ukazovateľ	norma	objekt	dátum	hodnota	násobok	poč.prekroč./analyz.	
Železo [mg/l]	0.2	170/2	2.7.2008	0.434	2.17	26 / 26	
			17.9.2008	0.98	4.90	26 / 26	
			4.11.2008	0.37	1.85	26 / 26	
			28.4.2009	1.05	5.25	26 / 26	
			19.5.2009	0.98	4.90	26 / 26	
			10.9.2009	1.08	5.40	26 / 26	
			25.11.2009	1.08	5.40	26 / 26	
			17.6.2010	1.05	5.25	26 / 26	
			16.8.2010	1.1	5.50	26 / 26	
			6.9.2010	1.05	5.25	26 / 26	
			15.11.2010	0.8	4.00	26 / 26	
			19.10.2011	0.9	4.50	26 / 26	
			234/1	29.11.2004	0.81	4.05	25 / 26
				14.2.2005	0.89	4.45	25 / 26
				17.5.2005	0.87	4.35	25 / 26
				8.9.2005	0.9	4.50	25 / 26
				23.11.2005	0.36	1.80	25 / 26
				16.2.2006	0.42	2.10	25 / 26
		11.5.2006		0.235	1.17	25 / 26	
		20.9.2006		0.222	1.11	25 / 26	
		27.11.2006		0.35	1.75	25 / 26	
		20.2.2007		0.41	2.05	25 / 26	
		21.5.2007		0.87	4.35	25 / 26	
		13.9.2007		0.72	3.60	25 / 26	
		29.11.2007		0.41	2.05	25 / 26	
		21.2.2008		0.27	1.35	25 / 26	
		23.6.2008		0.21	1.05	25 / 26	
		23.9.2008		0.304	1.52	25 / 26	
		26.5.2009		1	5.00	25 / 26	
		16.9.2009		2.43	12.15	25 / 26	
		23.11.2009	0.49	2.45	25 / 26		
		262/1	22.2.2010	0.67	3.35	25 / 26	
			8.7.2010	0.9	4.50	25 / 26	
			15.9.2010	0.95	4.75	25 / 26	
			30.11.2010	0.31	1.55	25 / 26	
			7.3.2011	0.37	1.85	25 / 26	
			7.11.2011	1	5.00	25 / 26	
			29.11.2004	0.41	2.05	26 / 26	
			14.2.2005	0.36	1.80	26 / 26	
			17.5.2005	1.03	5.15	26 / 26	
			20.9.2005	0.9	4.50	26 / 26	
			23.11.2005	0.36	1.80	26 / 26	
			16.2.2006	0.4	2.00	26 / 26	
			22.5.2006	0.87	4.35	26 / 26	
			20.9.2006	0.322	1.61	26 / 26	
			27.11.2006	0.29	1.45	26 / 26	
			20.2.2007	0.34	1.70	26 / 26	
		17.5.2007	0.82	4.10	26 / 26		
		17.9.2007	1.03	5.15	26 / 26		
		29.11.2007	0.27	1.35	26 / 26		
		21.2.2008	0.3	1.50	26 / 26		
		17.6.2008	1.07	5.35	26 / 26		
23.9.2008	0.322	1.61	26 / 26				
26.11.2008	0.35	1.75	26 / 26				
27.5.2009	0.98	4.90	26 / 26				
22.9.2009	0.87	4.35	26 / 26				
23.11.2009	0.37	1.85	26 / 26				
22.2.2010	0.36	1.80	26 / 26				
19.7.2010	0.9	4.50	26 / 26				
13.9.2010	0.95	4.75	26 / 26				

Ukazovateľ	norma	objekt	dátum	hodnota	násobok	poč.prekroč./analyz.	
Železo [mg/l]	0.2	262/1	30.11.2010	0.35	1.75	26 / 26	
			7.3.2011	0.33	1.65	26 / 26	
			8.11.2011	1	5.00	26 / 26	
		265/1	14.2.2005	0.33	1.65	7 / 26	
			22.5.2006	0.72	3.60	7 / 26	
			20.2.2007	0.28	1.40	7 / 26	
			17.5.2007	0.75	3.75	7 / 26	
			21.2.2008	0.31	1.55	7 / 26	
			26.5.2009	0.72	3.60	7 / 26	
			23.11.2009	0.26	1.30	7 / 26	
			872/1	22.3.2005	1.05	5.25	5 / 26
				7.9.2005	0.83	4.15	5 / 26
				15.5.2007	0.72	3.60	5 / 26
		899/1	6.7.2010	1	5.00	5 / 26	
			13.9.2010	0.396	1.98	5 / 26	
			15.11.2004	0.215	1.08	2 / 23	
			30.3.2006	0.9	4.50	2 / 23	