



Prekročenie limitov ukazovateľov kvality podzemných vôd - VZ

Hodnotené obdobie: 01.11.2004 - 31.12.2011

Norma: DOH 95 (GW)

Databáza údajov: F:\DATA\ZO\KVALITA\CHEM-GW_ZO.mdb

Konzultačná skupina PODZEMNÁ VODA ©2012

Ukazovateľ	norma	objekt	dátum	hodnota	násobok	poč.prekroč./analyz.	
Mangán [mg/l]	0.05	105	22.11.2007	0.05	1.00	1 / 63	
		119	11.11.2004	0.07	1.40	9 / 63	
			24.1.2005	0.05	1.00	9 / 63	
			14.11.2005	0.167	3.34	9 / 63	
			9.10.2007	0.051	1.02	9 / 63	
			14.4.2008	0.076	1.52	9 / 63	
			14.10.2008	0.061	1.22	9 / 63	
			22.7.2009	0.05	1.00	9 / 63	
			26.8.2009	0.05	1.00	9 / 63	
			24.11.2011	0.055	1.10	9 / 63	
			485	14.2.2005	0.66	13.20	27 / 27
				20.6.2005	0.42	8.40	27 / 27
				19.7.2005	0.35	7.00	27 / 27
				10.10.2005	0.36	7.20	27 / 27
				6.2.2006	0.52	10.40	27 / 27
				24.4.2006	0.33	6.60	27 / 27
				18.7.2006	0.39	7.80	27 / 27
				3.10.2006	0.32	6.40	27 / 27
				26.2.2007	0.52	10.40	27 / 27
				16.4.2007	0.16	3.20	27 / 27
				12.7.2007	0.5	10.00	27 / 27
				23.10.2007	0.23	4.60	27 / 27
				28.1.2008	0.11	2.20	27 / 27
				7.4.2008	0.17	3.40	27 / 27
				21.7.2008	0.4	8.00	27 / 27
				13.10.2008	0.58	11.60	27 / 27
				27.4.2009	0.39	7.80	27 / 27
				20.7.2009	0.44	8.80	27 / 27
				19.10.2009	0.68	13.60	27 / 27
				1.2.2010	0.75	15.00	27 / 27
				24.5.2010	0.7	14.00	27 / 27
				9.8.2010	0.42	8.40	27 / 27
				18.10.2010	0.64	12.80	27 / 27
		14.3.2011	1	20.00	27 / 27		
		18.7.2011	0.51	10.20	27 / 27		
		26.9.2011	0.35	7.00	27 / 27		
		28.11.2011	0.78	15.60	27 / 27		
Ortuť [mg/l]	0.001	119	5.10.2005	0.001	1.00	1 / 5	
Vápnik [mg/l]	100	907	25.3.2008	130.66	1.31	1 / 24	
Železo [mg/l]	0.2	102	8.8.2011	0.31	1.55	1 / 27	
		119	14.11.2005	0.337	1.69	1 / 63	
		485	1.2.2010	0.26	1.30	1 / 27	